


DETA



Deta Connect


Product Catalogue 2017

DETA CONNECT

Deta Connect offers a range of intelligent Lighting, Power and Heating controls with an App for smart control.

Suited with the **Ultra Screwless** range of premium metal plate wiring accessories, **Deta Connect** is easy to install and simple to use, providing a cutting edge and flexible home automation solution at an affordable price.

Products in the **Deta Connect** range are guaranteed for 2 years.



DETA
Connect
...to a smart home

Powered by
Lightwave RF


Technical Hotline 01582 544 548

PRODUCT FEATURES

Deta Connect is easy to install and simple to setup, offering a user friendly home automation solution with Smart Control for Lighting, Power and Heating accessories at or away from home.

- ✓ Market Leading Technology
- ✓ Smart Control
- ✓ Easy to Install
- ✓ Simple to Setup
- ✓ User Friendly
- ✓ Adaptable

LIGHTING AND POWER



Installed using conventional wiring and installation practices.

Wireless Switches, scene setters and handheld remotes provide the flexibility to wirelessly control Lighting and Power accessories and can be introduced at installation or added subsequently.

HEATING



Provides total control of both wet and electric heating systems, maximising energy efficiency within the home.

Wireless thermostatic radiator valves, boiler switches and thermostats provide heating control either by room, zone or for the whole home.

SMART CONTROL



A simple to use App offers the flexibility to control Lighting, Power and Heating accessories at or away from home using a Smartphone or Tablet device.

Available on the  **App Store**  **Google play**

CONNECT

Visit www.detaconnect.co.uk

DETA
Connect
 ...to a smart home



Telesales Hotline 01582 544 544

Deta Connect

Master Dimmers

- Master Dimmers wire in place of conventional dimmers
- For 2-way switching use a slave dimmer
- Can be controlled using smart devices
- 3 Core wiring between master and slave dimmers
- Compatible with dimmable LEDs, halogen and incandescent lamps
- Rated at 20-250W
- Requires 35mm back box
- In compliance with BS EN 60669-2-1
- 2-year guarantee

Master Dimmers

Chrome/Satin Chrome/White

9501CHW 1 gang - 250W

9501SCW

9501WHW

9502CHW 2 gang - 250W

9502SCW

9502WHW

9503CHW 3 gang - 250W

9503SCW

9503WHW

9504CHW 4 gang - 250W

9504SCW

9504WHW



9501CHW



9501SCW



9501WHW



9502CHW



9502SCW



9502WHW



9503CHW



9503SCW



9503WHW



9504CHW



9504SCW



9504WHW

Back Boxes
minimum recommended depth

	flush 35mm	dry lining 35mm
1g	DB164	DB2547
2g	DB165	DB2548

Deta Connect

Slave Dimmers

- Slave Dimmers are used to create 2-way control and are wired to master dimmers
- Up to 6 slaves per master dimmer to create 2-way and intermediate dimming
- 3 Core wiring between master and slave dimmers
- Requires 35mm back box
- In compliance with BS EN 60669-2-1
- 2-year guarantee

Slave Dimmers

Chrome/Satin Chrome/White

9511CHW 1 gang

9511SCW

9511WHW

9512CHW 2 gang

9512SCW

9512WHW



9511CHW



9511SCW



9511WHW



9512CHW



9512SCW



9512WHW

CONNECT

Master / Slave Dimmers

- 1st gang is a master dimmer, the 2nd gang is a slave dimmer, ideal for hall way / landing switching
- Slave must be used with a master dimmer
- Up to 6 slaves per master dimmer to create 2-way and intermediate dimming
- Requires 35mm back box
- In compliance with BS EN 60669-2-1
- 2-year guarantee

Master / Slave Dimmers

Chrome/Satin Chrome/White

9515CHW

9515SCW

9515WHW



9515CHW



9515SCW



9515WHW

Back Boxes

minimum recommended depth

	flush 35mm	dry lining 35mm
1g	DB164	DB2547

DETA
Connect
...to a smart home



Deta Connect

Socket Outlets

- Manual operation or can be controlled by wireless switch or by Smart Device
- Socket "lock" facility
- Connect up to 6 controllers
- 3000W max load
- Requires 35mm back box
- In compliance with BS 1363
- 2-year guarantee

Socket Outlets

Chrome/Satin Chrome/White

9532CHW 2 gang 13A socket

9532SCW

9532WHW



9532CHW



9532SCW



9532WHW

Back Boxes

minimum recommended depth

	flush 35mm	dry lining 35mm
2g	DB165	DB2548

Inline Dimmers and Relays

- Dim lighting wirelessly with inline dimmer
- Control curtains, blinds, gates garage doors via relays
- Can be paired with wireless controls and smart controls
- Removes need for switch drops
- Connect up to 6 controllers
- Can be installed in ceiling space
- 2-year guarantee

Inline Relays

9731 500W inline dimmer

9732 500W single channel inline relay

9733 500W three channel inline relay

9734 3000W single channel inline relay

On/Off Switch

9738 On/Off/Stop switch



9731



9732



9733



9734



9738

Deta Connect

Wireless Switches

- Provide wireless operation to master dimmers, socket outlets, inline dimmer and relays
- 2-way control when connected to master dimmers
- Can be paired with more than one device
- Fit anywhere, no back box necessary
- 2-year guarantee

Wireless Switches

Chrome/Satin Chrome/White

9521CHW 1 gang
9521SCW
9521WHW

9522CHW 2 gang
9522SCW
9522WHW



9521CHW



9521SCW



9521WHW



9522CHW



9522SCW



9522WHW

CONNECT

Scene Setters

- Create and recall up to 3 scenes
- Provide wireless operation to master dimmers, socket outlets, inline dimmer and relays
- Can be paired with more than one device
- One press "ALL OFF" facility
- Fit anywhere, no back box necessary
- Low voltage, battery operated
- 2-year guarantee

Scene Setters

Chrome/Satin Chrome/White

9525CHW Scene setter
9525SCW
9525WHW



9525CHW



9525SCW



9525WHW



Deta Connect

Connect Link

- Connect Link provides control of all lighting, power and heating accessories via a smartphone or tablet device using the Deta Connect App
- The connect link needs a broadband connection via a WiFi router
- The signal booster extends the radio frequency range of the connect link
- 2-year guarantee

Connect Link

9701 Connect link

Signal Booster

9702 Signal booster



9701



9702

Energy Monitor

- Monitor real time electricity usage and cost using the Deta Connect App
- CT coil clamps around incoming meter tail
- Battery operated
- 2-year guarantee

Energy Monitor

9725 Energy monitor



9725

Wireless Sensors

- Can be paired with master dimmers, socket outlets, inline dimmer and relays
- Door/Window contact can switch on device when contact is broken
- Fit anywhere, no back box necessary
- Low voltage, battery operated
- 2-year guarantee

Wireless Sensors

9721WHW PIR detector

9722 Dawn/dusk sensor

9723 Door/Window Magnetic contact



9721WHW



9722



9723

Deta Connect

Heating Controls

- House thermostat controls the whole house temperature
- Simply control individual rooms / radiators
- Electric switches available to control electric radiators, rated at 3000W
- 2-year guarantee

Heating Controls

- 9754 Home thermostat
- 9755 Boiler switch
- 9756 Electric switch



9754



9755



9756

TRV's and Switch

- Control individual radiators remotely
- Set temperature zones
- Pair TRV's to magnetic switch, to turn them off when window is opened
- Battery operated
- 2-year guarantee

Thermostatic Radiator Valve

- 9751 Thermostatic Radiator Valve

Magnetic Switch

- 9753 Magnetic Switch



9751



9753